## CD45RC antibody [MIL15]

## Cat. No. GTX39383

| Host         | Mouse              |
|--------------|--------------------|
| Clonality    | Monoclonal         |
| lsotype      | lgM                |
| Applications | IHC-P, IHC-Fr, FCM |
| Reactivity   | Pig                |

Package 2 ml

## Applications

## **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
| IHC-P              | Assay dependent      |
| IHC-Fr             | Assay dependent      |
| FCM                | Neat                 |
|                    |                      |

Note : Use  $10\mu$ I of the suggested working dilution to label  $10^6$  cells in  $100\mu$ I.

Not tested in other applications.

| Product Note | This antibody recognizes a restricted CI | D45 epitope encoded by the CD45 C exon. |
|--------------|--|---|
|--------------|--|---|

| Properties   |  |
|--------------|--|
| Form         | Liquid   |
| Buffer       | Tissue culture supernatant, 200mM Tris-HCl, 5-10% FBS  |
| Preservative | 0.09% Sodium azide   |
| Storage      | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Immunogen    | Cells isolated from porcine mesenteric lymph node.   |
| Purification | Tissue Culture Supernatant   |
| Conjugation  | Unconjugated   |
| Note         | For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.  |
|              | Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.  |



For full product information, images and publications, please visit our <u>website</u>.