

IL10 antibody [CC320] (Low endotoxin, azide free)

Cat. No. GTX39963

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Applications	FCM, ELISA, Neutralizing /Inhibition
Reactivity	Goat, Sheep, Bovine, Horse

Package
500 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
FCM	Assay dependent
ELISA	5-10µg/ml
Neutralizing /Inhibition	Assay dependent

Note : Mouse anti Bovine Interleukin-10 antibody, clone CC320 has been shown to neutralize the activity of bovine IL-10 as measured by the inhibition of the inhibitory activity of IL-10 on IFN gamma synthesis (Buza et al. 2004).

Not tested in other applications.

Product Note

Clone CC320 has been shown to neutralize the activity of bovine IL-10 as measured by the inhibition of the inhibitory activity of IL-10 on IFN gamma synthesis (Buza et al. 2004).

Properties

Form	Liquid
Buffer	PBS
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1.0 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Plasmid cDNA encoding bovine IL-10.
Purification	Protein G purified From tissue culture supernatant
Endotoxin	< 0.01 EU/µg (determined by the LAL assay)
Conjugation	Unconjugated



For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).