

SSEA-1 / CD15 antibody

Cat. No. GTX40137

Host	Mouse
Clonality	Monoclonal
Isotype	IgM
Applications	IHC-Fr, FCM, IP, IHC (Formalin)
Reactivity	Human

Package
100 µg

Applications

Application Note

FACS: Use at an assay dependent dilution. IHC-Fr: Use at an assay dependent dilution. Note: samples should be acetone fixed. IP: Use at an assay dependent dilution. Optimal dilutions/concentrations should be determined by the end user.

Properties

Form	Liquid
Buffer	PBS
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Cell preparation: Monocytes, separated from other peripheral blood leucocytes (PBL) on fibronectin plates.
Purification	IgM fraction
Conjugation	Unconjugated

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).