

## CDC2 antibody

Cat. No. GTX40151

|              |                |
|--------------|----------------|
| Host         | Mouse          |
| Clonality    | Monoclonal     |
| Isotype      | IgG1           |
| Applications | WB             |
| Reactivity   | Xenopus laevis |

**Package**  
100 µg

## Applications

## Application Note

WB: Use at an assay dependent dilution. Predicted molecular weight: 34 kDa. Optimal dilutions/concentrations should be determined by the end user.

**Calculated MW** 35 kDa. ( [Note](#) )**Product Note** 3E1.1 reacts strongly with immunoblotted antigen but does not immunoprecipitate native p34cdc2.

## Properties

|               |  |
|---------------|--|
| Form          | Liquid   |
| Buffer        | PBS  |
| Preservative  | No preservatives   |
| Storage       | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 1 mg/ml (Please refer to the vial label for the specific concentration.)   |
| Immunogen     | C terminal fragment, starting from methionine 85 of Xenopus Cdc2 .   |
| Purification  | IgG fraction   |
| Conjugation   | Unconjugated   |

## Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).