

Vaccinia virus antibody (HRP)

Cat. No. GTX40844

| | |
|--------------------|----------------|
| Host | Rabbit |
| Clonality | Polyclonal |
| Isotype | IgG |
| Application | IHC-P, ELISA |
| Reactivity | Vaccinia virus |

Package
100 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
| IHC-P | Assay dependent |
| ELISA | Assay dependent |

Not tested in other applications.

Product Note

Recognizes purified virions. Does not cross-react with Parainfluenza (1-3), RSV, Adenovirus, InfluenzaA & B or HSV-1. Does not react with uninfected cells. Reactive with Lister, Wyeth, New York City and MVA strains of Vaccinia.

PROPERTIES

| | |
|----------------------|--|
| Form | Liquid |
| Buffer | PBS, 1% BSA |
| Preservative | 0.002% Thimerosal |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 1-2 mg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | Lister Strain (mixture of virions and infected cell polypeptides). |
| Purification | IgG fraction |
| Conjugation | Horseradish peroxidase(HRP) |

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).