

## EPO receptor antibody

## Cat. No. GTX41250

| Host        | Sheep         |
|-------------|---------------|
| Clonality   | Polyclonal    |
| Isotype     | IgG           |
| Application | WB, IP, ELISA |
| Reactivity  | Human, Mouse  |

Package 100 μg

## APPLICATION

## **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution                | Recommended dilution |
|-----------------------------------|----------------------|
| WB                                | 10μg/ml              |
| IP                                | 10μg/ml              |
| ELISA                             | 50ng/ml              |
| Not tested in other applications. |                      |

**Calculated MW** 55 kDa. ( <u>Note</u> )

| PROPERTIES    |   |
|---------------|---|
| Form          | Liquid  |
| Buffer        | PBS   |
| Preservative  | 0.09% Sodium azide  |
| Storage       | Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.  |
| Concentration | 1.0 mg/ml (Please refer to the vial label for the specific concentration.)  |
| Immunogen     | Partial cDNA of the extracellular domain of human EPOR expressed as a GST fusion protein in E. Coli.  |
| Purification  | Purified by affinity chromatography   |
| Conjugation   | Unconjugated  |
| Note          | For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.                           |
|               | Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product. |



For full product information, images and publications, please visit our website.

Date 2024 / 05 / 12 Page 1 of 1