

## p75 NGF Receptor / CD271 antibody

**Cat. No. GTX42173**

<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG
<b>Applications</b>	WB, ICC/IF
<b>Reactivity</b>	Human, Mouse

**Package**  
100 µg

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1 µg/mL
ICC/IF	10-20 µg/mL

Not tested in other applications.

**Calculated MW** 45 kDa. ([Note](#))

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	PBS
<b>Preservative</b>	0.02% Sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Concentration</b>	1.0 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Recombinant human p75 NGF Receptor / CD271.
<b>Purification</b>	Protein A purified
<b>Conjugation</b>	Unconjugated

**Note**


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).


## DATA IMAGES

**GTX42173 WB Image**

WB analysis of (A)25, (B)50, and (C)100 ng purified recombinant human nerve growth factor receptor (p75 NTR) using GTX42173 p75 NTR antibody.

**GTX42173 ICC/IF Image**

ICC/IF analysis of HepG2 cells using GTX42173 p75 NGF Receptor / CD271 antibody.  
Dilution : 20 µg/mL

**GTX42173 ICC/IF Image**

ICC/IF analysis of A20 cells using GTX42173 p75 NGF Receptor / CD271 antibody.  
Dilution : 10 µg/mL



For full product information, images and publications, please visit our [website](#).