

Angiogenin antibody [MANG-1]

Cat. No. GTX42776

Host	Mouse
Clonality	Monoclonal
Isotype	IgM
Applications	IHC-P, IHC-Fr, ELISA
Reactivity	Human

Package

50 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
IHC-P	1/30
IHC-Fr	1/60
ELISA	Assay dependent

Note : Proteinase K pretreatment for antigen retrieval is recommended for use with paraffin sections.

Mouse anti Angiogenin, clone MANG1 stains single cells on human tonsil sections and endothelial cells in human terminal placenta. MANG-1 also demonstrates intense staining on carcinoma cells and of endothelial cells in intratumoral vessels (Marioni et al.

Not tested in other applications.

Properties

Form	Liquid
Buffer	PBS, 1% BSA
Preservative	0.01% Thimerosal
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.3 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant human angiogenin
Purification	Tissue Culture Supernatant
Conjugation	Unconjugated

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).