

# Goat Anti-Human kappa light chain antibody, F(ab')<sub>2</sub> fragment, pre-adsorbed(PE)

**Cat. No. GTX42965**

<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG F(ab') <sub>2</sub>
<b>Applications</b>	FCM
<b>Reactivity</b>	Human

Package

500 µl

## Applications

### Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
--------------------	----------------------

FCM	1/20-1/30
-----	-----------

**Note : Use 10µl of the suggested working dilution to label 10<sup>6</sup> cells in 100µl.**

Not tested in other applications.

### Product Note

This antibody recognizes human kappa light chains and has been cross absorbed with pooled human myeloma proteins with lambda light chains.

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	PBS, stabilizer
<b>Preservative</b>	0.1% Sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE. Protect from light.
<b>Concentration</b>	0.25 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Purification</b>	Purified by affinity chromatography Purified IgG was prepared from whole serum by affinity chromatography on pooled human IgG with kappa light chains covalently linked to agarose. F(ab) <sub>2</sub> fragments were prepared by pepsin digestion.
<b>Conjugation</b>	Phycoerythrin (PE) <a href="#">Wavelength</a>

### Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).