# Fas Ligand antibody [14C2] (PE)

## Cat. No. GTX43177

Host	Mouse
Clonality	Monoclonal
lsotype	lgG1
Application	FACS
Reactivity	Human

Package

50 test

### APPLICATION

#### **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.


Suggested dilution	Recommended dilution	
FACS	Neat	
Note : The results may be optimized using membrane permeabilisation. Use 10µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl.		
Not tested in other applications.		
Calculated MW	31 kDa. ( <u>Note</u> )	
Product Note	Clone 14C2 is reported to recognize a conformation dependent non-blocking epitope on CD178 (Daburon et al. 2013).	
PROPERTIES		
Form	Liquid	

Buffer	PBS, 1% BSA, 5% Sucrose
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE. Protect from light.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Purification	Protein G purified From tissue culture supernatant
Conjugation	Phycoerythrin (PE)
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.

#### DATA IMAGES



#### GTX43177 FACS Image

FACS analysis of permeabilised Jurkat cells using GTX43177 Fas Ligand antibody [14C2] (PE).



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 17 Page 2 of 2