

# Goat Anti-Human lambda light chain antibody, F(ab')<sub>2</sub> fragment, pre-adsorbed(FITC)

**Cat. No. GTX43421**

<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG F(ab') <sub>2</sub>
<b>Application</b>	ICC/IF, IHC-Fr, FACS
<b>Reactivity</b>	Human

Package

500 µg

## APPLICATION

### Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
ICC/IF	Neat-1/10
IHC-Fr	Assay dependent
FACS	Neat-1/10

**Note : Use 10µl of the suggested working dilution to label 10<sup>6</sup> cells in 100µl.**

Not tested in other applications.

### Product Note

This antibody recognises human lambda light chains and has been cross absorbed against pooled human myeloma proteins with kappa light chains.

## PROPERTIES

<b>Form</b>	Liquid
<b>Buffer</b>	PBS
<b>Preservative</b>	0.1% Sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. Protect from light.
<b>Concentration</b>	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Purification</b>	Purified by affinity chromatography
<b>Conjugation</b>	Fluorescein isothiocyanate (FITC)



For full product information, images and publications, please visit our [website](#).

Date 2024 / 05 / 15 Page 1 of 2

**Note**

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).