CD14 antibody [TÜK4] (FITC)

Cat. No. GTX43753

Host	Mouse
Clonality	Monoclonal
lsotype	lgG2a
Application	FACS
Reactivity	Human, Rabbit, Goat, Sheep, Bovine, Cat, Dog, Pig, Cynomolgus monkey, Llama, Mink

Reference (1) Package 25 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
FACS	1/10

Note : Use 10 μ l of the suggested working dilution to label 10⁶ cells or 100 μ l whole blood.

Not tested in other applications.

Calculated MW	40 kDa. (<u>Note</u>)
culculated inter	+0 KDu. (1000)

PROPERTIES	
Form	Liquid
Buffer	PBS, 1% BSA
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. Protect from light.
Concentration	0.1 mg/ml (Please refer to the vial label for the specific concentration.)
Purification	Protein G purified From tissue culture supernatant
Conjugation	Fluorescein isothiocyanate (FITC)
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 15 Page 1 of 1