

TMEM57 antibody, N-term

Cat. No. GTX46302

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB
Reactivity	Human

Package

50 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	0.2-2.5 ug/ml
Not tested in other applications.	

Calculated MW 76 kDa. ([Note](#))

PROPERTIES

Form	Liquid
Buffer	PBS, 2% Sucrose
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.5-1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	A synthetic peptide corresponding to a N-terminal region of Human TMEM57
Purification	Affinity Purified
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES




GTX46302 WB Image

WB analysis of MDA-MB-435S cells using GTX46302 TMEM57 antibody at 0.2-1 µg/ml.




GTX46302 WB Image

WB analysis of human fetal muscle tissue using GTX46302 TMEM57 antibody at 1 µg/ml.



GTX46302 WB Image

WB analysis of human placenta tissue using GTX46302 TMEM57 antibody at 1 µg/ml.



GTX46302 WB Image

WB analysis of human fetal lung tissue using GTX46302 TMEM57 antibody at 1 µg/ml.



For full product information, images and publications, please visit our [website](https://www.genetex.com).