

CPSF6 antibody, Internal

Cat. No. GTx4733

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P
Reactivity	Human

Package
100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	0.2-2.5 µg/ml
ICC/IF	Assay dependent
IHC-P	Assay dependent

Not tested in other applications.

Calculated MW 59 kDa. ([Note](#))

Properties


Form	Liquid
Buffer	PBS, 2% Sucrose
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.5-1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	A synthetic peptide corresponding to an Internal region of Human CPSF6
Purification	Protein A purified
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 17 Page 1 of 2


DATA IMAGES

**GTx47333 WB Image**


WB analysis of Jurkat cells using GTx47333 CPSF6 antibody at 0.3125 μ g/ml.

Lane A : marker

Lane B : Jurkat cells

**GTx47333 ICC/IF Image**

ICC/IF analysis of SKOV3 cells using GTx47333 CPSF6 antibody at 1:250. Left to right : DAPI, CPSF6, merge.

**GTx47333 IHC-P Image**

IHC-P analysis of human muscle tissue using GTx47333 CPSF6 antibody at 16.0 μ g/ml.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 17 Page 2 of 2