

## PDE10A antibody (FITC)

## Cat. No. GTX47789

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB, ICC/IF, IP, ELISA, IHC
Reactivity	Human, Mouse, Rat, Monkey

Package 50 μg

## APPLICATION

## **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	Assay dependent
IP	Assay dependent
ELISA	Assay dependent
IHC	Assay dependent

Not tested in other applications.

Calculated MW	88 kDa. ( <u>Note</u> )
---------------	-------------------------

Product Note

This antibody has no cross-reactivity against any other PDE family members tested so far. This antibody will detect all

PDE10A variants and subtypes.

PROPERTIES	
Form	Liquid
Buffer	Tris/Glycine, 0.5% BSA, 30% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. Protect from light.
Concentration	0.7 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Synthetic peptide (Human) taken against a common sequence near the 250-325 amino acids downstream of N terminal region of PDE10A. Synthetic MAP.
Purification	Purified IgG
Conjugation	Fluorescein isothiocyanate (FITC)



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 20 Page 1 of 2



For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 20 Page 2 of 2