

CXCR6 antibody (FITC)

Cat. No. GTX47790

| Host | Rabbit |
|--------------|----------------|
| Clonality | Polyclonal |
| Isotype | IgG |
| Applications | WB, ELISA, IHC |
| Reactivity | Human, Monkey |

Package 50 μg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|-----------------------------------|----------------------|
| WB | Assay dependent |
| ELISA | Assay dependent |
| IHC | Assay dependent |
| Not tested in other applications. | |

Calculated MW 39 kDa. (<u>Note</u>)

| Properties | |
|---------------|--|
| Form | Liquid |
| Buffer | Tris/Glycine, 0.5% BSA, 30% Glycerol |
| Preservative | 0.02% Sodium azide |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. Protect from light. |
| Concentration | 0.58 mg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | Synthetic peptide taken within amino acid region 1-50 on human CXCR6 protein. |
| Purification | Purified IgG |
| Conjugation | Fluorescein isothiocyanate (FITC) Wavelength |
| Note | For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. |
| | Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product. |



For full product information, images and publications, please visit our website.

Date 2025 / 11 / 04 Page 1 of 1