

## Human GITRL protein (active)

## Cat. No. GTX48097-pro

Applications	Functional Assay	Package 20 μg
Species	Human	, 3

## **Applications**

## **Application Note**

Biological activity was determined by its ability to stimulate IL-8 production by human PBMC using a concentration range of 1.0-10.0 ng/ml. Note: Results may vary with PBMC donors.

Lyophilized powder	
Batch dependent (please contact us for details)	
Store at -20°C or below. After reconstitution, keep as concentrated solution. Aliquot and avoid freeze-thaw cycles.	
ETAKEPCMAK FGPLPSKWQM ASSEPPCVNK VSDWKLEILQ NGLYLIYGQV APNANYNDVA PFEVRLYKNK DMIQTLTNKS KIQNVGGTYE LHVGDTIDLI FNSEHQVLKN NTYWGIILLA NPQFI	
E. coli	
> 98% by SDS-PAGE and HPLC.	
< 1 EU/μg	
Unconjugated	
For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.	
Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.	



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 14 Page 1 of 1