

## Human Soluble TRAIL Receptor-2 protein (active)

## Cat. No. GTx48105-pro

Applications	Functional Assay	Package
Species	Human	50 µg

## Applications

## Application Note

Biological activity was determined by its inhibitory effect of IL-8 production in human PBMC by human sTRAIL/Apo2L. 50% inhibition (100 ng/ml of sTRAIL/Apo2L) was reached using a concentration of 1000 ng/ml of sTRAIL Receptor-2.

## Properties

Form	Lyophilized powder
Buffer	Batch dependent (please contact us for details)
Storage	Store at -20°C or below. After reconstitution, keep as concentrated solution. Aliquot and avoid freeze-thaw cycles.
Region/Sequence	MESALITQQD LAPQQRVAPQ QKRSSPSEGL CPPGHHISED GRDCISCKYG QDYSTHWNDL LFCLRCTRCD SGEVELSPCT TTRNTVCQCE EGTFREEDSP EMCRKCRTGC PRGMVKVGDC TPWSDIECVH KES
Expression System	E. coli
Purity	> 98% by SDS-PAGE and HPLC.
Endotoxin	< 1 EU/µg
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 30 Page 1 of 1