

Human TGF Beta 2 protein (active)

Cat. No. GTX48351-pro

Applications	Functional Assay	Package
Species	Human	10 µg

Applications

Application Note

Biological activity was determined by its ability to inhibit the mouse IL-4-dependent proliferation of mouse HT-2 cells. The ED₅₀ was found to be \leq 0.2 ng/ml, corresponding to a specific activity of $\geq 5 \times 10^6$ units/mg.

Properties

Form	Lyophilized powder
Buffer	Batch dependent (please contact us for details)
Storage	Store at -20°C or below. After reconstitution, keep as concentrated solution. Aliquot and avoid freeze-thaw cycles.
Region/Sequence	ALDAAYCFRN VQDNCLRLP YIDFKRDLGW KWIHEPKGYN ANFCAGACPY LWSSDTQHSR VLSLYNTINP EASASPCCVS QDLEPLTILY YIGKTPKIEQ LSNMIVKSCK CS
Expression System	HEK293 cells
Purity	> 98% by SDS-PAGE and HPLC.
Endotoxin	< 1 EU/µg
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 09 Page 1 of 1