

p38 MAPK (phospho Thr180) antibody

Cat. No. GTX50280

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Human, Rat

References (1)

Package

100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:1000
IHC-P	1:50-1:100

Not tested in other applications.

Calculated MW 41 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 150mM NaCl, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide sequence around phosphorylation site of threonine 180 (E-M-T(p)-G-Y) derived from human p38 MAPK.
Purification	Purified by antigen-affinity chromatography. Non-phospho specific antibodies were removed by chromatography using non-phosphopeptide.
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTX50280 WB Image


WB analysis of extracts from HT-29 cells untreated or treated with UV using GTX50280 p38 MAPK (phospho Thr180) antibody.


GTX50280 IHC-P Image

IHC-P analysis of human breast carcinoma tissue using GTX50280 p38 MAPK (phospho Thr180) antibody.

Left : Primary antibody

Right : Primary antibody pre-incubated with the antigen specific peptide


GTX50280 WB Image

WB analysis of extracts from HL-60 cells treated with TNFα or calf intestinal phosphatase (CIP) using GTX50280 p38 MAPK (phospho Thr180) antibody.



For full product information, images and publications, please visit our [website](https://www.genetex.com).