

CD40L / CD154 antibody [MAB0820]

Cat. No. GTX52408

| | |
|-------------|---------------------------------------|
| Host | Armenian Hamster |
| Clonality | Monoclonal |
| Isotype | IgG |
| Application | IHC-Fr, FACS, Neutralizing/Inhibition |
| Reactivity | Mouse |

Package
200 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|-------------------------|----------------------|
| IHC-Fr | Assay dependent |
| FACS | Assay dependent |
| Neutralizing/Inhibition | Assay dependent |

Note : Inhibiting the activation of T and B lymphocytes in vitro and antigen-specific lymphocyte responses in vivo.

Not tested in other applications.

Calculated MW 29 kDa. ([Note](#))

PROPERTIES

| | |
|---------------|--|
| Form | Liquid |
| Buffer | PBS |
| Preservative | No preservative |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | Batch dependent (Please refer to the vial label for the specific concentration.) |
| Immunogen | Activated mouse Th1 cells |
| Purification | Protein A/G purified From tissue culture supernatant |
| Conjugation | Unconjugated |



For full product information, images and publications, please visit our [website](#).

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).