

MBL-A antibody [8G6]

Cat. No. GTX54385

| | |
|--------------|---------------------------|
| Host | Rat |
| Clonality | Monoclonal |
| Isotype | IgG2a |
| Applications | WB, ICC/IF, IHC-Fr, ELISA |
| Reactivity | Mouse |

Package

50 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
| WB | Assay dependent |
| ICC/IF | Assay dependent |
| IHC-Fr | 2 µg/ml |
| ELISA | Assay dependent |

Note : A non-reduced sample treatment was used.

Tissue sections were fixed in 4% PBS-buffered formaldehyde and pretreated with 2% hydrogen peroxide in methanol for 20 minutes at 4°C to quench endogenous peroxidases.

Not tested in other applications.

| | |
|---------------|--|
| Calculated MW | 25 kDa. (Note) |
| Product Note | The monoclonal antibody 8G6 is a calcium-dependent antibody. |

Properties

| | |
|---------------|---|
| Form | Liquid |
| Buffer | Filter-sterilized PBS, 0.1% BSA |
| Preservative | 0.02% Sodium azide |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. |
| Concentration | 100 µg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | Purified mouse MBL-A |
| Purification | Purified IgG2a |
| Conjugation | Unconjugated |



For full product information, images and publications, please visit our [website](#).

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).