

## C5a/C5a des-Arg antibody [2952]

**Cat. No. GTX54440**

<b>Host</b>	Mouse
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG1
<b>Applications</b>	WB, IHC-Fr, ELISA, Functional Assay
<b>Reactivity</b>	Human

**Package**  
50 µg

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
IHC-Fr	Assay dependent
ELISA	Assay dependent
Functional Assay	Assay dependent

Not tested in other applications.

**Calculated MW** 188 kDa. ([Note](#))

**Product Note**

Monoclonal antibody 2952 reacts with a neo-epitope on C5a (des-Arg) that is formed upon cleavage of C5 into C5a and C5b. Please notice that under given conditions it is known that C5 can expose epitopes normally only found in the cleaved activation products.

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	Filter-sterilized PBS, 0.1% BSA
<b>Preservative</b>	No preservatives
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
<b>Concentration</b>	100 µg/ml (Please refer to the vial label for the specific concentration.)
<b>Purification</b>	Purified IgG1
<b>Conjugation</b>	Unconjugated



For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).