

CD62E antibody [ENA2]

Cat. No. GTX54506

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Applications	ICC/IF, IHC-Fr, ELISA, Neutralizing/Inhibition
Reactivity	Human, Baboon, Chimpanzee, Cynomolgus monkey, Rhesus Monkey

Package
50 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
ICC/IF	Assay dependent
IHC-Fr	Assay dependent
ELISA	Assay dependent
Neutralizing/Inhibition	Assay dependent

Note : In vitro cultured cells can be fixed with 1% paraformaldehyde and kept in PBS plus azide before staining. Tissue sections are advised to be fixed for 10 min in pure acetone and followed by incubation for 10 min in chloroform.

The antibody can be used for adhesion inhibition studies for which the antibody is most efficient and prevents adhesion of leucocytes via Fc receptors.

Not tested in other applications.

Product Note The antibody inhibits the adhesion of granulocytes both neutrophilic and eosinophilic.

Properties

Form	Liquid
Buffer	Filter-sterilized PBS, 0.1% BSA
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	100 µg/ml (Please refer to the vial label for the specific concentration.)
Purification	Purified IgG1
Conjugation	Unconjugated



For full product information, images and publications, please visit our [website](#).

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).