

# CBL (phospho Tyr700) antibody

## Cat. No. GTX55004

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P
Reactivity	Human, Mouse, Rat

Package 100 μl

## Applications

## **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500 - 1:1000
ICC/IF	1:100 - 1:500
IHC-P	1:100 - 1:200
Not tested in other applications	

Not tested in other applications.

Calculated MW 100 kDa. (Note)

Properties	
Form	Liquid
Buffer	0.42% Potassium Phosphate, 0.87% NaCl, 30% Glycerol
Preservative	0.01% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of CBL. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 07 / 17 Page 1 of 2



## DATA IMAGES




#### GTX55004 ICC/IF Image

ICC/IF analysis of formalin-fixed HeLa cells using GTX55004 CBL (phospho Tyr700) antibody.

Red: Primary antibody


Blue: DAPI

Permeabilization: 0.1% Triton X-100 in TBS for 5-10 minutes



#### GTX55004 WB Image

WB analysis of UV-treated HT29 (A), NIH3T3 (B), rat kidney (C) whole cell lysates using GTX55004 CBL (phospho Tyr700) antibody.



## GTX55004 IHC-P Image

IHC-P analysis of formalin fixed human lymph node tissue section using GTX55004 CBL (phospho Tyr700) antibody

Antigen retrieval: Heat mediated antigen retrieval with sodium citrate buffer (pH 6.0)



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 07 / 17 Page 2 of 2