

## Coilin antibody

## Cat. No. GTX55575

|              |            |
|--------------|------------|
| Host         | Rabbit     |
| Clonality    | Polyclonal |
| Isotype      | IgG        |
| Applications | WB, ICC/IF |
| Reactivity   | Human, Rat |

Package  
100 µl

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
| WB                 | 1:500 - 1:2000       |
| ICC/IF             | 1:50 - 1:100         |

Not tested in other applications.

Calculated MW 63 kDa. ([Note](#))

## Properties


|               |  |
|---------------|--|
| Form          | Liquid   |
| Buffer        | PBS, 50% Glycerol  |
| Preservative  | 0.02% Sodium azide   |
| Storage       | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | Batch dependent (Please refer to the vial label for the specific concentration.)   |
| Immunogen     | Recombinant fusion protein containing a sequence corresponding to amino acids 297-576 of human COIL (NP_004636.1).   |
| Purification  | Purified by affinity chromatography  |
| Conjugation   | Unconjugated   |
| Note          | For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.  |
|               | Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.  |



For full product information, images and publications, please visit our [website](#).


Date 2026 / 01 / 10 Page 1 of 2

## DATA IMAGES



## GTX55575 ICC/IF Image

ICC/IF analysis of HeLa cells using GTX55575 Coilin antibody.



## GTX55575 WB Image

WB analysis of various sample lysates using GTX55575 Coilin antibody.

Dilution : 1:1000

Loading : 25µg per lane



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 10 Page 2 of 2