

UBIAD1 antibody

Cat. No. GTX55833

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P
Reactivity	Human, Mouse, Rat

Package
100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500 - 1:2000
ICC/IF	1:50 - 1:200
IHC-P	1:100 - 1:200

Not tested in other applications.

Calculated MW 37 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	A synthetic peptide corresponding to a sequence within amino acids 1-100 of human UBIAD1 (NP_037451.1).
Purification	Purified by affinity chromatography
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTX55833 IHC-P Image

IHC-P analysis of human colon carcinoma tissue using GTX55833 UBIAD1 antibody.
Dilution : 1:100


GTX55833 WB Image

WB analysis of various sample lysates using GTX55833 UBIAD1 antibody. The signal was developed with ECL plus-Enhanced.
Dilution : 1:1000
Loading : 25µg per lane


GTX55833 IHC-P Image

IHC-P analysis of human stomach tissue using GTX55833 UBIAD1 antibody.
Dilution : 1:100



For full product information, images and publications, please visit our [website](#).