

5-Methylcytosine / 5-mC antibody [GT9076]

Cat. No. GTX60803

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Applications	ICC/IF, Dot, FISH, MeDIP
Reactivity	Species independent

Package

50 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
ICC/IF	1:1,000
Dot	1:600
FISH	1:200 - 1:1,000
MeDIP	1-5 µg

Not tested in other applications.

Properties

Form	Liquid
Buffer	PBS
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1.3 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	5-mC (5-methylcytosine) conjugated to BSA.
Purification	Protein A purified
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES

GTX60803 ICC/IF Image

ICC/IF analysis of 2.5% PFA fixed U2OS cells using GTX60803 5-Methylcytosine / 5-mC antibody [GT9076].

Figure A : cells were immunofluorescently labelled with the 5-mC antibody after incubation of the antibody with 50 μ M mCTP (left) or with DAPI (right).


Figure B : staining of the cells with the 5-mC antibody after incubation of the antibody with 50 μ M hmCTP and with DAPI.

Dilution : 1:500


GTX60803 Dot Image

Dot blot analysis of 4 - 100 ng (equivalent of 5 to 0.2 pmol of C-bases) hmC, mC and C controls using GTX60803 5-Methylcytosine / 5-mC antibody [GT9076].

Dilution : 1:600



GTX60803 FISH Image

FISH (Fluorescence in situ hybridization) analysis of metaphase chromosomes from HeLa cells (treated with 0.1 μ g/ml colcemid for 1 - 2 hours) using GTX60803 5-Methylcytosine / 5-mC antibody [GT9076].

Red : Primary antibody

Blue : DAPI

Dilution : 1:1000


GTX60803 ICC/IF Image

ICC/IF analysis of 4% PFA-fixed mouse embryos cells fixed in the one-cellular stage (after blocking with PBS containing 2% BSA, the cells were treated with 2N HCl) using GTX60803 5-Methylcytosine / 5-mC antibody [GT9076]. Both the maternal (M) and paternal (P) pronuclei are stained.

Left : Primary antibody

Right : Anti- single stranded DNA antibody

Permeabilization : 0.5% Triton X-100 for 30 mins

Dilution : 1:200



For full product information, images and publications, please visit our [website](https://www.genetex.com).