

Histone H3K79me1 (Mono-methyl Lys79) antibody [RM147]

Cat. No. GTX60880

| Host | Rabbit |
|--------------|-----------------------|
| Clonality | Monoclonal |
| Isotype | IgG |
| Applications | WB, ELISA, ChIP assay |
| Reactivity | Human |

Package 100 μg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|----------------------------------|----------------------|
| WB | 0.2 μg/mL - 1 μg/mL |
| ELISA | 0.2 μg/mL - 1 μg/mL |
| ChIP assay | 2 μg/mL - 10 μg/mL |
| Not tested in other applications | |

Not tested in other applications.

Product Note

This antibody reacts to Histone H3 monomethylated at Lysine 79 (K79me1). No cross reactivity with dimethylated Lysine 79 (K79me2) or trimethylated Lysine 79 (K79me3), or other methylations in histone H3

| Properties | |
|---------------|--|
| Form | Liquid |
| Buffer | PBS, 1% BSA, 50% Glycerol |
| Preservative | 0.09% Sodium azide |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | Batch dependent (Please refer to the vial label for the specific concentration.) |
| Immunogen | A monomethyl-peptide corresponding to Monomethyl-Histone H3 (Lys79). |
| Purification | Protein A purified From tissue culture supernatant |
| Conjugation | Unconjugated |



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 27 Page 1 of 2




For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.


DATA IMAGES



GTX60880 ChIP assay Image

ChIP analysis of HeLa cells using GTX60880 Histone H3K79me1 (Mono-methyl Lys79) antibody [RM147]. Real-time PCR was performed using primers specific to the gene indicated.


Antibody amount: 5µg



GTX60880 WB Image

WB analysis of recombinant histone H3.3 (1) and acid extracts of HeLa cells (2) using GTX60880 Histone H3K79me1 (Mono-methyl Lys79) antibody [RM147].

Dilution : $0.5\mu g/ml$



GTX60880 Image

The GTX60880 reacts to Histone H3 monomethylated at Lysine 79 (K79me1). No cross reactivity with dimethylated Lysine 79 (K79me2), trimethylated Lysine 79 (K79me3), or other methylations in histone H3.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 27 Page 2 of 2