

## Histone H3K18me1 (Mono-methyl Lys18) antibody [RM167]

**Cat. No. GTX60900**

<b>Host</b>	Rabbit
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG
<b>Applications</b>	WB, ELISA
<b>Reactivity</b>	Human

Package  
100 µg

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1 µg/mL - 2 µg/mL
ELISA	0.2 µg/mL - 1 µg/mL

Not tested in other applications.

**Product Note**

This antibody reacts to Histone H3 monomethylated at Lysine 18 (K18me1). No cross reactivity with nonmodified Lysine 18 or dimethylated Lysine 18 (K18me2), or other methylations in histone H3.

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	PBS, 1% BSA, 50% Glycerol
<b>Preservative</b>	0.09% Sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Concentration</b>	Batch dependent (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	A monomethyl-peptide corresponding to Monomethyl-Histone H3 (Lys18).
<b>Purification</b>	Protein A purified From tissue culture supernatant
<b>Conjugation</b>	Unconjugated

**Note**


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES



**GTX60900 WB Image**

WB analysis of recombinant histone H3.3 (1) and acid extracts of HeLa cells (2) using GTX60900 Histone H3K18me1 (Mono-methyl Lys18) antibody [RM167].

Dilution : 1µg/ml



**GTX60900 Image**

The GTX60900 reacts to Histone H3 monomethyl- lated at Lysine 18 (K18me1). No cross reactivity with nonmodified Lysine 18 (K18Ctrl) or dimethylated Lysine 18 (K18me2), or other methylations in histone H3.



For full product information, images and publications, please visit our [website](#).