

E-Cadherin antibody [GT311]

Cat. No. GTX629692

| Host | Mouse |
|--------------|-------------|
| Clonality | Monoclonal |
| Isotype | lgG1 |
| Applications | WB, FCM, IP |
| Reactivity | Human |

Package 100 μl, 25 μl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|----------------------------------|----------------------|
| WB | 1:500-1:3000 |
| FCM | 1:50-1:200 |
| IP | 1:100-1:500 |
| Not tested in other applications | |

Not tested in other applications.

Calculated MW 97 kDa. (Note)


| Properties | |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Form | Liquid |
| Buffer | PBS |
| Preservative | No preservative |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 1 mg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | Recombinant protein encompassing a sequence within the center region of human E-Cadherin. The exact sequence is proprietary. |
| Purification | Affinity purified by Protein G. |
| Conjugation | Unconjugated |
| Note | For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. |
| | Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product. |



For full product information, images and publications, please visit our <u>website</u>.


Date 2025 / 06 / 14 Page 1 of 2

DATA IMAGES



GTX629692 WB Image

Non-transfected (-) and transfected (+) MCF-7 whole cell extracts (30 µg) were separated by 5% SDS-PAGE, and the membrane was blotted with E-Cadherin antibody [GT311] (GTX629692) diluted at 1:2000. The HRPconjugated anti-mouset IgG antibody (GTX213111-01) was used to detect the primary antibody.




GTX629692 FCM Image

E-Cadherin antibody [GT311] (GTX629692) detects E-Cadherin protein by flow cytometry analysis. Sample: MCF-7 cell.

Black: Unlabelled sample was used as a control.

Red: E-Cadherin antibody [GT311] (GTX629692) dilution: 1:50.

Acquisition of 20,000 events were collected for FACS analysis.



GTX629692 IP Image

E-adherin antibody [GT311] immunoprecipitates E-adherin protein in IP experiments.

IP samples: MCF-7 whole cell extract

A. 30 µg MCF-7 cell whole cell extract

B. Control with 3 μg of preimmune Mouse IgG

C. Immunoprecipitation of E-adherin protein by 3 µg E-adherin antibody [GT311] (GTX629692)

5 % SDS-PAGE

The immunoprecipitated E-adherin protein was detected by E-adherin antibody [GT311] (GTX629692) diluted at 1:500.

[EasyBlot anti-mouse IgG (GTX221667-01) was used as a secondary reagent]



For full product information, images and publications, please visit our website.

Date 2025 / 06 / 14 Page 2 of 2