

# SQSTM1 / P62 antibody [GT1478]

# Cat. No. GTX629890

Host	Mouse
Clonality	Monoclonal
Isotype	lgG2b
Applications	WB, ICC/IF, IHC-Fr, FCM
Reactivity	Human, Mouse



# Applications

# **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
ICC/IF	1:100-1:1000
IHC-Fr	1:100-1:1000
FCM	1:50-1:200

Not tested in other applications.

Calculated MW 48 kDa. (Note)

Properties	
Form	Liquid
Buffer	PBS, 20% Glycerol
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant protein encompassing a sequence within the center region of human SQSTM1 / P62. The exact sequence is proprietary.
Purification	Affinity purified by Protein G.
Conjugation	Unconjugated



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 11 / 07 Page 1 of 2




For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

#### Note


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

## DATA IMAGES




#### GTX629890 WB Image

SQSTM1 antibody detects SQSTM1 protein by western blot analysis. Un-treated (-) and treated (+, Thapsigargin treatment for 12 hr and 24hr) Huh-7 whole cell extracts (30 µg) were separated by 10% SDS-PAGE, and the membrane was blotted with SQSTM1 antibody (GTX629890) diluted by 1:1000. The ACTB was used as internal control (GTX110564, 1:50000) shown at the bottom panel. The HRP-conjugated anti-mouse IgG antibody (GTX213111-01) was used to detect the primary antibody.



## GTX629890 WB Image

Various whole cell extracts (30  $\mu$ g) were separated by 10% SDS-PAGE, and the membrane was blotted with SQSTM1 / P62 antibody [GT1478] (GTX629890) diluted at 1:500. The HRP-conjugated anti-mouse IgG antibody (GTX213111-01) was used to detect the primary antibody.



## GTX629890 FCM Image

 $SQSTM1\ antibody\ [GT1478]\ (GTX629890)\ detects\ SQSTM1\ protein\ by\ flow\ cytometry\ analysis.$ 

Sample: HeLa cell fixed in 4% paraformaldehyde at 4oC for 5 min.

Brown: Unlabelled sample was also used as a control.

Blue: SQSTM1 antibody [GT1478] (GTX629890) dilution: 1:100.

Acquisition of >20,000 events were collected using Argon ion laser (488nm) and 525/30 bandpass filter.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 11 / 07 Page 2 of 2