

LAMP1 antibody [GT25212]

Cat. No. GTX634336

Host	Mouse
Clonality	Monoclonal
Isotype	IgG2b
Application	WB, ICC/IF, IHC-Fr
Reactivity	Human

Reference (5)
Package
100 µl, 25 µl

PRODUCT

Summary

LAMP1 antibody detects lysosome-associated membrane protein 1 (LAMP-1, or CD107a), a transmembrane glycoprotein that generally migrates at ~120 kDa on western blot. LAMP1 and LAMP2 are major protein components of lysosomal membranes, though both proteins appear to have a more dynamic distribution that includes endosomes, autolysosomes, and multivesicular bodies. Nevertheless, LAMP1 is often used as an indicator of lysosomes in cells.

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
ICC/IF	1:100-1:1000
IHC-Fr	Assay dependent

Not tested in other applications.

Calculated MW 45 kDa. ([Note](#))

PROPERTIES

Form	Liquid
Buffer	PBS
Preservative	No preservative
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant protein encompassing a sequence within the center region of human LAMP1. The exact sequence is proprietary.
Purification	Affinity purified by Protein A.
Conjugation	Unconjugated




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES

GTG634336 ICC/IF Image


LAMP1 antibody [GT25212] detects LAMP1 protein at lysosome by immunofluorescent analysis.

Sample: HeLa cells were fixed in ice-cold MeOH for 5 min.


Green: LAMP1 stained by LAMP1 antibody [GT25212] (GTG634336) diluted at 1:2000.

Red: alpha Tubulin 4a, a cytoskeleton marker, stained by alpha Tubulin 4a antibody (GTX112141) diluted at 1:500.

Blue: Hoechst 33342 staining.



GTG634336 WB Image

Wild-type (WT) and LAMP1 knockout (KO) HeLa cell extracts (30 µg) were separated by 7.5% SDS-PAGE, and the membrane was blotted with LAMP1 antibody [GT25212] (GTG634336) diluted at 1:10000. The HRP-conjugated anti-mouse IgG antibody (GTX213111-01) was used to detect the primary antibody.


GTG634336 WB Image

HeLa whole cell and membrane extracts (30 µg) were separated by 7.5% SDS-PAGE, and the membranes were blotted with LAMP1 antibody [GT25212] (GTG634336) diluted at 1:1000 and competitor's antibody diluted at 1:1000. The HRP-conjugated anti-mouse IgG antibody (GTX213111-01) was used to detect the primary antibody. (WCE: whole cell extract; ME: membrane extract)

*The competitor is not affiliated with GeneTex and does not endorse this product.


GTG634336 WB Image

HeLa whole cell and membrane extracts (30 µg) were separated by 7.5% SDS-PAGE, and the membrane was blotted with LAMP1 antibody [GT25212] (GTG634336) diluted at 1:1000. The HRP-conjugated anti-mouse IgG antibody (GTX213111-01) was used to detect the primary antibody.



For full product information, images and publications, please visit our [website](https://www.genetex.com).