

## SARS-CoV-2 (COVID-19) Spike RBD antibody [HL1003-HU]

**Cat. No. GTX635866**

|                     |   |
|---------------------|---|
| <b>Host</b>         | Human   |
| <b>Clonality</b>    | Monoclonal                                      |
| <b>Isotype</b>      | IgG   |
| <b>Applications</b> | ELISA, Neutralizing /Inhibition, Sandwich ELISA |
| <b>Reactivity</b>   | SARS Coronavirus 2                              |

References ( 3 )

Package

100 µl, 25 µl

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution       | Recommended dilution |
|--------------------------|----------------------|
| ELISA                    | Assay dependent      |
| Neutralizing /Inhibition | Assay dependent      |
| Sandwich ELISA           | Assay dependent      |

**Note : This antibody inhibits infection of mammalian cells by live SARS-CoV-2.****Capture : GTX635807, Detection: GTX635866.**

Not tested in other applications.

## Properties

|                      |  |
|----------------------|--|
| <b>Form</b>          | Liquid   |
| <b>Buffer</b>        | PBS  |
| <b>Preservative</b>  | No preservatives   |
| <b>Storage</b>       | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| <b>Concentration</b> | 1 mg/ml (Please refer to the vial label for the specific concentration.)   |
| <b>Immunogen</b>     | Recombinant protein corresponding to SARS-CoV-2 (COVID-19) Spike RBD (SARS-CoV-2 (strain Wuhan-Hu-1)). The exact sequence is proprietary.  |
| <b>Purification</b>  | Affinity purified by Protein A.  |
| <b>Conjugation</b>   | Unconjugated   |


**Note**

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.


For full product information, images and publications, please visit our [website](#).

DATA IMAGES




**GTX635866 Neutralizing /Inhibition Image**

Inhibition analysis of immobilized recombinant SARS-CoV-2 (COVID-19) Spike RBD protein, His tag (active) (GTX136090-pro) (coated at 2 µg/mL) binding to soluble recombinant Human ACE2 (ECD) protein, mouse IgG Fc tag (active) (GTX135683-pro) (1000 ng/mL). ACE2 binding was inhibited by increasing concentrations of SARS-CoV-2 (COVID-19) Spike RBD antibody [HL1003-HU] (GTX635866) (0.09-66.67 nM). Bound ACE2 was detected by Goat Anti-Mouse IgG antibody (HRP) (GTX213111-01) (1:10000).



**GTX635866 ELISA Image**

Indirect ELISA analysis performed by coating plate with recombinant Spike ECD protein(s) derived from different strains of SARS-CoV-2 virus (ie., Wild type; B1.617.2 delta variant) (29.71-0.46 nM). Coated protein was probed with SARS-CoV-2 (COVID-19) Spike RBD antibody [HL1003-HU] (GTX635866) (1 µg/mL). Human IgG antibody (HRP) (1:200000) was used to detect bound primary antibody.



**GTX635866 ELISA Image**

Sandwich ELISA detection of recombinant SARS-CoV-2 (COVID-19) Spike S1 protein, His tag (active) (GTX135817-pro) using antibodies as below.

**Capture:** SARS-CoV-2 (COVID-19) Spike RBD antibody [HL1014] (GTX635807) (5 µg/mL)

**Detection:** SARS-CoV-2 (COVID-19) Spike RBD antibody [HL1003-HU] (GTX635866) (1 µg/mL) **Anti-Human IgG antibody (HRP) was diluted at 1:200000 and used to detect the primary antibody.**



For full product information, images and publications, please visit our [website](#).