

Zika virus Envelope protein antibody [HL1699]

Cat. No. GTX637298

Host	Rabbit
Clonality	Monoclonal
Isotype	lgG
Applications	WB, ICC/IF
Reactivity	Zika virus

Package 100 μl, 25 μl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
ICC/IF	Assay dependent

Not tested in other applications.

Properties	
Form	Liquid
Buffer	PBS
Preservative	No preservative
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Synthetic peptide corresponding to Zika virus Envelope protein. (strain:"H/PF/2013")
Purification	Affinity purified by Protein A.
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 04 / 29 Page 1 of 2



DATA IMAGES




GTX637298 ICC/IF Image

Immunofluorescent analysis of mock and Zika virus-infected cells using Zika virus Envelope protein antibody [HL1699] (GTX637298).

Sample: Zika virus non-infected and infected cells slide.

Green: Zika virus Envelope protein antibody [HL1699] (GTX637298) diluted at 1:100.

Blue: Fluoroshield with DAPI (GTX30920).



GTX637298 WB Image

Zika viral lysate (0.5 μ g) was separated by 10% SDS-PAGE, and the membrane was blotted with Zika virus Envelope protein antibody [HL1699] (GTX637298) diluted at 1:2000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 04 / 29 Page 2 of 2