

## Bcl-XL antibody [HL2039]

Cat. No. GTX637940

Host	Rabbit
Clonality	Monoclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P
Reactivity	Human, Cat, Dog

Package  
100 µl, 25 µl

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	Assay dependent
IHC-P	Assay dependent

Not tested in other applications.

Observed MW (kDa) 28 kDa.

## Properties

Form	Liquid
Buffer	PBS
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant fragment of human Bcl-XL
Purification	Affinity purified by Protein A.
Conjugation	Unconjugated

## Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

## DATA IMAGES




### GTx637940 ICC/IF Image

Bcl-XL antibody [HL2039] detects Bcl-XL protein at cytoplasm and nucleus by immunofluorescent analysis.

Sample: HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min.


Green: Bcl-XL stained by Bcl-XL antibody [HL2039] (GTx637940) diluted at 1:500.

Blue: Fluoroshield with DAPI (GTx30920).




### GTx637940 WB Image

Various whole cell extracts (30 µg) were separated by 12% SDS-PAGE, and the membrane was blotted with Bcl-XL antibody [HL2039] (GTx637940) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTx213110-01) was used to detect the primary antibody. Corresponding RNA expression data for the same cell lines are based on Human Protein Atlas program.



### GTx637940 WB Image

Whole cell extract (30 µg) was separated by 12% SDS-PAGE, and the membrane was blotted with Bcl-XL antibody [HL2039] (GTx637940) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTx213110-01) was used to detect the primary antibody.




### GTx637940 IHC-P Image

Bcl-XL antibody [HL2039] detects Bcl-XL protein at cytoplasm by immunohistochemical analysis.

Sample: Paraffin-embedded cat intestine.

Bcl-XL stained by Bcl-XL antibody [HL2039] (GTx637940) diluted at 1:100.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



### GTx637940 ICC/IF Image

Bcl-XL antibody [HL2039] detects Bcl-XL protein by immunofluorescent analysis.

Sample: MDCK cells were fixed in ice-cold MeOH for 5 min.

Green: Bcl-XL stained by Bcl-XL antibody [HL2039] (GTx637940) diluted at 1:500.

Red: alpha Tubulin, a cytoskeleton marker, stained by alpha Tubulin antibody [GT114] (GTx628802) diluted at 1:1000.

Blue: Fluoroshield with DAPI (GTx30920).



For full product information, images and publications, please visit our [website](https://www.genetex.com).