

uPAR antibody [HL2398]

Cat. No. GTX638615

Host	Rabbit
Clonality	Monoclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Human, Mouse

Package
100 µl, 25 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
IHC-P	Assay dependent

Not tested in other applications.

Observed MW (kDa) 34-55 kDa.

Properties

Form	Liquid
Buffer	PBS
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant fragment of human uPAR.
Purification	Affinity purified by Protein A.
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTX638615 WB Image

Wild-type (WT) and PLAUR knockout (KO) HeLa cell extracts (30 µg) were separated by 12% SDS-PAGE, and the membrane was blotted with uPAR antibody [HL2398] (GTX638615) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.


GTX638615 WB Image

Untreated (-) and treated (+) U937 whole cell extracts (30 µg) were separated by 12% SDS-PAGE, and the membrane was blotted with uPAR antibody [HL2398] (GTX638615) diluted at 1:250. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



GTX638615 IHC-P Image

uPAR antibody [HL2398] detects uPAR protein at cell membrane by immunohistochemical analysis.

Sample: Paraffin-embedded human lung cancer.

uPAR stained by uPAR antibody [HL2398] (GTX638615) diluted at 1:100.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min


GTX638615 IHC-P Image

uPAR antibody [HL2398] detects uPAR protein by immunohistochemical analysis.

Sample: Paraffin-embedded mouse tissues.

uPAR stained by uPAR antibody [HL2398] (GTX638615) diluted at 1:100.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



For full product information, images and publications, please visit our [website](https://www.genetex.com).