

n-Myc antibody

Cat. No. GTX64413

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Human, Mouse, Rat

Package 100 μΙ

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500 - 1:2000
IHC-P	1:50 - 1:200

Not tested in other applications.

Calculated MW 50 kDa. (Note)

Properties	
Form	Liquid
Buffer	PBS, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant protein of human MYCN
Purification	Purified by affinity chromatography
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our website.

Date 2025 / 06 / 23 Page 1 of 2




DATA IMAGES




GTX64413 IHC-P Image

IHC-P analysis of rat brain tissue using GTX64413 n-Myc antibody.



GTX64413 IHC-P Image

IHC-P analysis of mouse brain tissue using GTX64413 n-Myc antibody.



GTX64413 WB Image

WB analysis of various sample lysates using GTX64413 n-Myc antibody. The signal was developed with ECL plus-Enhanced.

Dilution: 1:1000

Loading: 25µg per lane



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 06 / 23 Page 2 of 2