

BAG5 antibody

Cat. No. GTX65944

Host	Rabbit	
Clonality	Polyclonal	
Isotype	lgG	
Application	WB, IHC-P	
Reactivity	Human, Mouse, Rat	

Package 100 μl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500 - 1:2000
IHC-P	1:50 - 1:200

Not tested in other applications.

Calculated MW 51 kDa. (Note)

PROPERTIES		
Form	Liquid	
Buffer	PBS, 50% Glycerol	
Preservative	0.02% Sodium azide	
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)	
Immunogen	Recombinant funsion protein containing a sequence corresponding to amino acids 198-447 of human BAG5 (NP_004864.1).	
Purification	Purified by affinity chromatography	
Conjugation	Unconjugated	
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.	
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.	




For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 04 Page 1 of 2




DATA IMAGES



GTX65944 IHC-P Image

IHC-P analysis of rat brain tissue using GTX65944 BAG5 antibody.


Dilution: 1:100



GTX65944 IHC-P Image

IHC-P analysis of human stomach tissue using GTX65944 BAG5 antibody.

Dilution: 1:100



GTX65944 WB Image

WB analysis of various sample lysates using GTX65944 BAG5 antibody. The signal was developed with ECL plus-Enhanced.

Dilution: 1:1000

Loading: 25µg per lane



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 04 Page 2 of 2