

RECK antibody

Cat. No. GTX66481

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF
Reactivity	Human, Mouse, Rat

Package
100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500 - 1:2000
ICC/IF	1:50 - 1:100

Not tested in other applications.

Calculated MW 106 kDa. ([Note](#))

Properties


Form	Liquid
Buffer	PBS, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 110-210 of human RECK (NP_066934.1).
Purification	Purified by affinity chromatography
Conjugation	Unconjugated
	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
Note	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 07 Page 1 of 2

DATA IMAGES




GTx66481 WB Image

WB analysis of various sample lysates using GTx66481 RECK antibody. The signal was developed with ECL plus-Enhanced.

Dilution : 1:1000

Loading : 25 μ g per lane



GTx66481 ICC/IF Image

ICC/IF analysis of C6 cells using GTx66481 RECK antibody.

Blue : DAPI

Dilution : 1:100



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 07 Page 2 of 2