

P-Cadherin antibody

Cat. No. GTX66687

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB
Reactivity	Human, Mouse, Rat

Package
100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:1000

Not tested in other applications.

Calculated MW 91 kDa. ([Note](#))


Properties

Form	Liquid
Buffer	PBS
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Synthetic peptide, corresponding to amino acids 45-90 of Human P-Cadherin.
Purification	Purified by antigen-affinity chromatography From serum
Purity	> 95% (by SDS-PAGE)
Conjugation	Unconjugated
Note	For In vitro laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES



GTX66687 WB Image

WB analysis of various samples using GTX66687 P-Cadherin antibody.

Lane1 : A375 whole cell lysate(40ug)

Lane2 : C6 whole cell lysate(40ug)

Lane3 : Beas-2B whole cell lysate(40ug)

Lane4 : EC9706 whole cell lysate(40ug)

Lane5 : CT26 whole cell lysate(40ug)

Dilution : 1:500



For full product information, images and publications, please visit our [website](https://www.genetex.com).