

Human LDH-B protein (active)

Cat. No. GTX67085-pro

Applications Functional Assay**Species** Human**Package**

20 µg

Applications

Application Note

Specific activity is > 300 units/mg, in which one unit will convert 1.0 µmole of pyruvate to L-lactate and beta-NAD per minute at pH 7.5 at 37°C.

Properties

Form Liquid**Buffer** 20mM Tris-HCl, 10% Glycerol, 1mM DTT**Preservative** No preservatives**Storage** Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.**Concentration** 1 mg/ml (Please refer to the vial label for the specific concentration.)**Region/Sequence** Full length protein, Length: 334 a.a. Sequence: MATLKEKLI PVAEEEEATVP NNKITVVGVG QVGMACAISI LGKSLADELA LVDVLEDKLG GEMMDLQHGS LFLQTPKIVA DKDYSVTANS KIVVVTAGVR QQEGESRLNL VQRNVNVFKF IIPQIVKYSP DCIIIVVSNP VDILTYVTWK LSGLPKHRVI GSGCNLDSAR FRYLMAEKLK IHPSSCHGWI LGEHGDSSVA VWSGVNVAGV SLQELNPEMG TDNDSENWKE VHKMVVESAY EVIKLKGYN WAIGLSVADL IESMLKNLSR IHPVSTMVKG MYGIENEVFL SLPCLNARG LTVINQKLK DDEVAQLKKS ADTLWDIQKD LKDL**Expression System** E. coli**Purity** > 90% by SDS-PAGE.**Endotoxin** < 1.0 EU/µg (determined by LAL method)**Conjugation** Unconjugated**Note** For In vitro laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

For full product information, images and publications, please visit our [website](#).

DATA IMAGES



GTX67085-pro Image

3 μ g of GTX67085-pro Human LDH-B protein (active) by SDS-PAGE under reducing condition and visualized by coomassie blue stain



For full product information, images and publications, please visit our [website](#).