

Mouse Anti-Human IgD antibody [IgD26]

Cat. No. GTX72039

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Applications	WB, IHC-P, IHC-Fr
Reactivity	Human

References (1)

Package

500 µl

Applications

Application Note

Immunohistochemistry (Paraffin/Frozen) 1:25-1:50. For a three-step avidin-biotin complex system, a dilution of 1:50 to 1:100 should be used as a guideline. The optimal dilution should be determined by individual laboratory. Dilute according to the particular application being used. In general, the 0.05M Borate pH 8.0 containing 0.15M Sodium Chloride, 0.05% Sodium Azide, is a good diluent to use with most antibodies.

Properties

Form	Liquid
Buffer	PBS, 0.2% BSA
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.
Concentration	0.18-0.19 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Purified Human IgD, d-chains
Purification	Protein A affinity purified
Conjugation	Unconjugated

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).