

C1q antibody (FITC)

Cat. No. GTX73479

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	IHC-P, Functional Assay
Reactivity	Human, Hamster

References (2) Package 1 ml

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution	
IHC-P	1:20-1:40	
Functional Assay	Assay dependent	
Note: Antigen verticual: Preteinase V 20 min et 27 %		

Note: Antigen retrieval: Proteinase K 30 min at 37 °C

Not tested in other applications.

Properties	
Form	Liquid
Buffer	IgG Fraction
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. Protect from light.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	C1q isolated from the normal human serum.
Purification	Purified IgG
Conjugation	Fluorescein isothiocyanate (FITC) <u>Wavelength</u>
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our website.

Date 2025 / 11 / 06 Page 1 of 1