## CD2 antibody [MRC OX-34] (Biotin)

## Cat. No. GTX75121

Host	Mouse	
Clonality	Monoclonal	
lsotype	lgG2a	
Application	IHC-P, IHC-Fr, FACS	
Reactivity	Rat	-

Package 100 μg

## APPLICATION

## **Application Note**

For FACS: Use at a dilution of neat - 1:10. For IHC-Fr: Use at an assay dependent dilution. For IHC-P: Use at an assay dependent dilution. Optimal dilutions/concentrations should be determined by the end user.

Calculated MW	38 kDa. ( <u>Note</u> )
Product Note	Rat CD2

PROPERTIES	
Form	Liquid
Buffer	PBS, 1% BSA
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Activated rat T helper cells
Purification	Protein G affinity purified
Conjugation	Biotin
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.