

TLR4 antibody [HTA125]

Cat. No. GTX75737

| | |
|-------------|---|
| Host | Mouse |
| Clonality | Monoclonal |
| Isotype | IgG2a |
| Application | WB, ICC/IF, FACS, IP, Blocking |
| Reactivity | Human, Cat, Dog, Guinea pig, Pig, Rhesus Monkey |

Reference (31)

Package

200 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
| WB | Assay dependent |
| ICC/IF | Assay dependent |
| FACS | 1/10-1/25 |
| IP | Assay dependent |
| Blocking | Assay dependent |

Note : Use 10µl of the suggested working dilution to label 10⁶ cells or 100µl whole blood.

Not tested in other applications.

Calculated MW 96 kDa. ([Note](#))

PROPERTIES

| | |
|---------------|--|
| Form | Liquid |
| Buffer | PBS |
| Preservative | 0.09% Sodium azide |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 1.0 mg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | Ba/F3 cell line expressing TLR4 (CD284). |
| Purification | Protein G purified From tissue culture supernatant |
| Conjugation | Unconjugated |




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES

GTX75737 FACS Image

FACS analysis of human peripheral blood monocytes using GTX75737 TLR4 antibody [HTA125].



For full product information, images and publications, please visit our [website](#).