

CD8 antibody [MRC OX-8]

Cat. No. GTX76221

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Applications	FCM, IHC
Reactivity	Rat

References (1)

Package

500 µg

Applications

Application Note

For FACS: Use 0.2 µg to label 10⁶ cells. Optimal dilutions/concentrations should be determined by the end user.

Product Note Recognises the rat CD8 cell surface antigen expressed by a subset of T lymphocytes, most thymocytes and most NK cells.

Properties

Form	Liquid
Buffer	PBS
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1.0 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Thymocyte membrane glycoproteins
Purification	Protein G affinity purified
Conjugation	Unconjugated

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).