

## CD3 epsilon antibody [APA1/1] (FITC)

## Cat. No. GTX80236-06

Host	Mouse
Clonality	Monoclonal
Isotype	lgG1
Applications	FCM
Reactivity	Human, Mouse

Package 100 μg

## **Applications**

## **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
FCM	Assay dependent
Not tested in other applications.	
This antibody r	recognizes an activation-dependent intracellular epitope of CD3 epsilon. Exposure of the epitope precedes

CD3 phosphorylation and recruitment and activation of ZAP70, which initiates the signaling cascade produced by T-cell **Product Note** activation. APA1/1 provides the earliest known marker for TCR-mediated T cell activation.

Properties	
Form	Liquid
Buffer	PBS
Preservative	15mM Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE. Protect from light.
Concentration	0.1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Purified human CD3 proteins isolated from thymus
Purification	Purified by size-exclusion chromatography
Conjugation	Fluorescein isothiocyanate (FITC) Wavelength
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our website.

Date 2026 / 01 / 01 Page 1 of 1