

## Cytokeratin 19 antibody [A53-B/A2] (Biotin)

**Cat. No. GTX80248**

<b>Host</b>	Mouse
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG2a
<b>Applications</b>	WB, ICC/IF, IHC-P, FCM, IP, ELISA
<b>Reactivity</b>	Human

References ( 1 )  
 Package  
 100 µg

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	Assay dependent
IHC-P	Assay dependent
FCM	Assay dependent
IP	Assay dependent
ELISA	Assay dependent

Not tested in other applications.

**Calculated MW** 44 kDa. ( [Note](#) )

**Product Note** This antibody reacts with Rod domain of cytokeratin 19 (40 kDa) in human tissue.

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	PBS
<b>Preservative</b>	15mM Sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.
<b>Concentration</b>	1 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	MCF-7 human breast adenocarcinoma cell line
<b>Purification</b>	Purified IgG
<b>Conjugation</b>	Biotin The reagent is free of unconjugated biotin.




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

**DATA IMAGES**

**GTX80248 FCM Image**

FACS (intracellular staining) analysis of MCF-7 cells using GTX80248 Cytokeratin 19 antibody [A53-B/A2] (Biotin).



For full product information, images and publications, please visit our [website](#).