

# CYP7A1 antibody, C-term

## Cat. No. GTX81230

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB
Reactivity	Human

Package 400 μl

## Applications

### **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000
Not tested in other applications.	

Calculated MW 58 kDa. (Note)

Properties	
Form	Liquid
Buffer	PBS
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	KLH conjugated synthetic peptide between 476-504 amino acids from the C-terminal region of human CYP7A1.
Purification	Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 11 / 07 Page 1 of 2



### DATA IMAGES




#### GTX81230 WB Image

WB analysis of HepG2 whole cell lysate using GTX81230 CYP7A1 antibody, C-term.

Loading: 20 µg per lane

Dilution: 1:1000



### GTX81230 WB Image

WB analysis of K562(lane 1), HepG2(lane 2) cell lysate (35ug/lane) using GTX81230 CYP7A1 antibody, Cterm.



For full product information, images and publications, please visit our website.

Date 2025 / 11 / 07 Page 2 of 2